


Revit Family file
30RQ-RQP 310R TO 400R


AIR COOLED CHILLER

30RQ-RQP 310R TO 400R


30RQ-RQP Revit




Front View




Side View



30RQ-RQP Revit Family




Top View




30RQ-RQP Revit Family in Project Environment

30RQ-RQP 310R TO 400R


30RQ-RQP Revit Family with Buffer Tank




Front View




Side View



30RQ-RQP Revit Family





Top View



30RQ-RQP Revit Family in Project Environment

30RQ-RQP 310R TO 400R


Model No: 310R-330R-370R-400R
Overall Dimensions



All Dimensions are in mm
Tolerance ± 10

30RQ-RQP 310R TO 400R

Model No: 310R-330R-370R-400R
Overall Dimensions with Buffer Tank



All Dimensions are in mm
Tolerance ± 10

30RQ-RQP Revit Family Latest Modification

IDENTIFY DATA EDITING

Model description details are added in the “ Identify Data” parameter segment for all the revit family files. Based on the type of family, details have been provided (310R,330R,370R,400R,etc...).


Identity Data		⌵
URL	http://www.carrier.com	
Model	30RQ-RQP 310R TO 400R	
Manufacturer	Carrier	
Description	Air Cooled Chillers	

This data will be extracted from the end MEP user whenever he/she will take Material Takeoff job or BOM preparation for the particular unit.

30RQ-RQP Revit Family Latest Modification

MASS DETAILS

Mass details are added in the “Data” parameter segment for all the revit family files. Based on the type of family, details have been provided (310R,330R,370R,400R,etc...).



Type Properties

Family: 30RQ-RQP 310R TO 400R Load...

Type: 30RQ-RQP310R Duplicate...
30RQ-RQP330R
30RQ-RQP370R
30RQ-RQP400R Rename...




Type Parameters

Parameter	Value	=
Construction ⌵		
Graphics ⌵		
Dimensions ⌵		
Identity Data ⌵		
Data ⌴		
30RQ-RQP STD	2394 Kg	
30RQ-RQP STD + Opt49	2467 Kg	
30RQ-RQP STD + 15	2521 Kg	
30RQ-RQP STD + 15LS+	2554 Kg	
30RQ-RQP STD + 23	2460 Kg	
30RQ-RQP STD + 116R	2527 Kg	
30RQ-RQP STD + 116S	2608 Kg	
30RQ-RQP STD + 116T	2511 Kg	
30RQ-RQP STD + 116U	2576 Kg	
30RQ-RQP STD + 116V	2527 Kg	
30RQ-RQP STD + 116W	2608 Kg	
30RQ-RQP STD + 293	2494 Kg	
30RQ-RQP STD + 307	3428 Kg	

30RQ-RQP Revit Family Latest Modification

PIPE CONNECTORS

Depending on the type of connection pipe connectors are been provided for all the piping in 30RQ-RQP unit. All Coupling connection are just shown for representation purpose only.



Connectors at Inlet and Outlet Connections of the unit (Hydronic Kit, BPHE piping and Buffer Tank)

30RQ-RQP 310R TO 400R

Model No: 310R-330R-370R-400R

SERVICE CLEARANCE – ON/OFF


Service Clearance spaces for 30RQ-RQP unit are been provided with the option in construction parameter to hide and unhide in the project environment.

Type Properties

Family: 30RQ-RQP 310R TO 400R Load...
Type: 30RQ-RQP310R Duplicate...
Rename...

Type Parameters

Parameter	Value
Construction	
STD	☒
Standard_Service_Area	☒
Compressor_310R-340R	☒
Compressor_370R-400R	☐
fan_(370R-400R)	☐
15 (310R-340R)	☐
15 (370R-400R)	☐
23	☐
OPTION 116	☐
116R	☐
116S	☐
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank_Service_Area	☐
Option_307_Buffer_Tank	☐
Option_12(310R-340R)	☐
Option_12(370R-400R)	☐
Option 266+ STD	☐
Option 266 + Option 116/307	☐
Opt49	☐



Service Clearance ON

30RQ-RQP 310R TO 400R

Model No: 310R-330R-370R-400R

SERVICE CLEARANCE – ON/OFF


Service Clearance spaces for 30RQ-RQP unit are been provided with the option in construction parameter to hide and unhide in the project environment.

Type Properties

Family: 30RQ-RQP 310R TO 400R Load...
Type: 30RQ-RQP310R Duplicate...
Rename...

Type Parameters

Parameter	Value
Construction	
STD	☒
Standard_Service_Area	☐
Compressor_310R-340R	☒
Compressor_370R-400R	☐
fan_(370R-400R)	☐
15 (310R-340R)	☐
15 (370R-400R)	☐
23	☐
OPTION 116	☐
116R	☐
116S	☐
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank_Service_Area	☐
Option_307_Buffer_Tank	☐
Option_12(310R-340R)	☐
Option_12(370R-400R)	☐
Option 266+ STD	☐
Option 266 + Option 116/307	☐
Opt49	☐



Service Clearance OFF

30RQ-RQP 310R TO 400R

Model No: 310R-330R-370R-400R

SERVICE CLEARANCE – ON/OFF

Service Clearance spaces for 30RQ-RQP unit are been provided with the option in construction parameter to hide and unhide in the project environment.

Type Properties

Family: 30RQ-RQP 310R TO 400R

Type: 30RQ-RQP310R


Load...

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
STD	☐
Standard_Service_Area	☐
Compressor_310R-340R	☒
Compressor_370R-400R	☐
fan_(370R-400R)	☐
15 (310R-340R)	☐
15 (370R-400R)	☐
23	☒
OPTION 116	☒
116R	☐
116S	☒
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank_Service_Area	☒
Option_307_Buffer_Tank	☒
Option_12(310R-340R)	☐
Option_12(370R-400R)	☐
Option 266+STD	☐
Option 266 + Option 116/307	☐
Opt49	☐



Service Clearance ON

30RQ-RQP 310R TO 400R

Model No: 310R-340R-380R-410R

SERVICE CLEARANCE – ON/OFF

Service Clearance spaces for 30RQ-RQP unit are been provided with the option in construction parameter to hide and unhide in the project environment.


Type Properties

Family: 30RQ-RQP 310R TO 400R Load...

Type: 30RQ-RQP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
STD	☐
Standard_Service_Area	☐
Compressor_310R-340R	☒
Compressor_370R-400R	☐
fan_(370R-400R)	☐
15 (310R-340R)	☐
15 (370R-400R)	☐
23	☐
OPTION 116	☒
116R	☐
116S	☒
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank_Service_Area	☐
Option_307_Buffer_Tank	☒
Option_12(310R-340R)	☐
Option_12(370R-400R)	☐
Option 266+ STD	☐
Option 266 + Option 116/307	☐
Opt49	☐



Service Clearance OFF

30RQ-RQP 310R TO 400R

Type Properties

Family: 30RQ-RQP 310R TO 400R

Load...

Type: 30RQ-RQP310R


Duplicate...

Type Parameters: 30RQ-RQP310R, 30RQ-RQP330R, 30RQ-RQP370R, 30RQ-RQP400R

Rename...

Parameter	Value
Construction	
STD	☒
Standard_Service_Area	☐
Compressor_310R-340R	☒
Compressor_370R-400R	☐
fan_(370R-400R)	☐
15 (310R-340R)	☐
15 (370R-400R)	☐
23	☐
OPTION 116	☐
116R	☐
116S	☐
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank_Service_Area	☐
Option_307_Buffer_Tank	☐
Option_12(310R-340R)	☐
Option_12(370R-400R)	☐
Option 266+ STD	☐
Option 266 + Option 116/307	☐
Opt49	☐

Input Parameters



Revit Family in Project

4 Variants – (310R unit Capacity to 400R unit capacity)

30RQ-RQP 310R TO 400R

Type Properties


Family: 30RQ-RQP 310R TO 400R Load...

Type: 30RQ-RQP310R Duplicate... Rename...

Type Parameters

Parameter	Value		
Construction			
STD	☒		
Standard_Service_Area	☐		
Compressor_310R-340R	☒		
Compressor_370R-400R	☐		
fan_(370R-400R)	☐		
15 (310R-340R)	☐		
15 (370R-400R)	☐		
23	☐		
OPTION 116	☐		
116R	☐		
116S	☐		
116T	☐		
116U	☐		
116V	☐		
116W	☐		
293	☐		
Buffer_Tank_Service_Area	☐		
Option_307_Buffer_Tank	☐		
Option_12(310R-340R)	☐		
Option_12(370R-400R)	☐		
Option 266+STD	☐		
Option 266 + Option 116/307	☐		
Opt49	☐		

Input Parameters



Standard Option

30RQ-RQP 310R TO 400R

Type Properties


Family: 30RQ-RQP 310R TO 400R Load...

Type: 30RQ-RQP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
STD	☒
Standard_Service_Area	☒
Compressor_310R-340R	☒
Compressor_370R-400R	☐
fan_(370R-400R)	☐
15 (310R-340R)	☒
15 (370R-400R)	☐
23	☐
OPTION 116	☐
116R	☐
116S	☐
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank_Service_Area	☐
Option_307_Buffer_Tank	☐
Option_12(310R-340R)	☐
Option_12(370R-400R)	☐
Option 266+ STD	☐
Option 266 + Option 116/307	☐
Opt49	☐

Input Parameters



STD+ 15LS/15LS+

30RQ-RQP 310R TO 400R

Type Properties

Family: 30RQ-RQP 310R TO 400R

Load...

Type: 30RQ-RQP310R


Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
STD	☒
Standard_Service_Area	☐
Compressor_310R-340R	☒
Compressor_370R-400R	☐
fan_(370R-400R)	☐
15 (310R-340R)	☐
15 (370R-400R)	☐
23	☒
OPTION 116	☐
116R	☐
116S	☐
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank_Service_Area	☐
Option_307_Buffer_Tank	☐
Option_12(310R-340R)	☐
Option_12(370R-400R)	☐
Option 266+ STD	☐
Option 266 + Option 116/307	☐
Opt49	☐

Input Parameters



STD+ 23

30RQ-RQP 310R TO 400R

Type Properties


Family: 30RQ-RQP 310R TO 400R Load...

Type: 30RQ-RQP310R Duplicate... Rename...

Type Parameters

Parameter	Value	=	^
Construction			
STD	☒		
Standard_Service_Area	☐		
Compressor_310R-340R	☒		
Compressor_370R-400R	☐		
fan_(370R-400R)	☐		
15 (310R-340R)	☒		
15 (370R-400R)	☐		
23	☒		
OPTION 116	☐		
116R	☐		
116S	☐		
116T	☐		
116U	☐		
116V	☐		
116W	☐		
293	☐		
Buffer_Tank_Service_Area	☐		
Option_307_Buffer_Tank	☐		
Option_12(310R-340R)	☐		
Option_12(370R-400R)	☐		
Option 266+ STD	☐		
Option 266 + Option 116/307	☐		
Opt49	☐		

Input Parameters



STD+ 15LS/15LS+ +23

30RQ-RQP 310R TO 400R

Type Properties


Family: 30RQ-RQP 310R TO 400R Load...

Type: 30RQ-RQP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
STD	☐
Standard_Service_Area	☐
Compressor_310R-340R	☒
Compressor_370R-400R	☐
fan_(370R-400R)	☐
15 (310R-340R)	☐
15 (370R-400R)	☐
23	☐
OPTION 116	☒
116R	☒
116S	☐
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank_Service_Area	☐
Option_307_Buffer_Tank	☐
Option_12(310R-340R)	☐
Option_12(370R-400R)	☐
Option 266+STD	☐
Option 266 + Option 116/307	☐
Opt49	☐

Input Parameters



STD + 116R/T/V

30RQ-RQP 310R TO 400R

Type Properties


Family: 30RQ-RQP 310R TO 400R Load...

Type: 30RQ-RQP310R Duplicate... Rename...

Type Parameters

Parameter	Value	
Construction		
STD	☐	
Standard_Service_Area	☐	
Compressor_310R-340R	☒	
Compressor_370R-400R	☐	
fan_(370R-400R)	☐	
15 (310R-340R)	☐	
15 (370R-400R)	☐	
23	☐	
OPTION 116	☒	
116R	☐	
116S	☒	
116T	☐	
116U	☐	
116V	☐	
116W	☐	
293	☐	
Buffer_Tank_Service_Area	☐	
Option_307_Buffer_Tank	☐	
Option_12(310R-340R)	☐	
Option_12(370R-400R)	☐	
Option 266+STD	☐	
Option 266 + Option 116/307	☐	
Opt49	☐	

Input Parameters



STD+ 116S/U/W

30RQ-RQP 310R TO 400R

Type Properties


Family: 30RQ-RQP 310R TO 400R Load...

Type: 30RQ-RQP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
STD	☐
Standard_Service_Area	☐
Compressor_310R-340R	☒
Compressor_370R-400R	☐
fan_(370R-400R)	☐
15 (310R-340R)	☒
15 (370R-400R)	☐
23	☐
OPTION 116	☒
116R	☐
116S	☒
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank_Service_Area	☐
Option_307_Buffer_Tank	☐
Option_12(310R-340R)	☐
Option_12(370R-400R)	☐
Option 266+ STD	☐
Option 266 + Option 116/307	☐
Opt49	☐

Input Parameters



STD + 15LS/15LS+ + 116R/S/T/U/V/W

30RQ-RQP 310R TO 400R

Type Properties


Family: 30RQ-RQP 310R TO 400R Load...

Type: 30RQ-RQP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
STD	☐
Standard_Service_Area	☐
Compressor_310R-340R	☒
Compressor_370R-400R	☐
fan_(370R-400R)	☐
15 (310R-340R)	☐
15 (370R-400R)	☐
23	☒
OPTION 116	☒
116R	☐
116S	☒
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank_Service_Area	☐
Option_307_Buffer_Tank	☐
Option_12(310R-340R)	☐
Option_12(370R-400R)	☐
Option 266+STD	☐
Option 266 + Option 116/307	☐
Opt49	☐

Input Parameters



STD + 23 + 116R/S/T/U/V/W

30RQ-RQP 310R TO 400R

Type Properties


Family: 30RQ-RQP 310R TO 400R Load...

Type: 30RQ-RQP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
STD	☐
Standard_Service_Area	☐
Compressor_310R-340R	☒
Compressor_370R-400R	☐
fan_(370R-400R)	☐
15 (310R-340R)	☒
15 (370R-400R)	☐
23	☒
OPTION 116	☒
116R	☐
116S	☒
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank_Service_Area	☐
Option_307_Buffer_Tank	☐
Option_12(310R-340R)	☐
Option_12(370R-400R)	☐
Option 266+STD	☐
Option 266 + Option 116/307	☐
Opt49	☐

Input Parameters



STD + 23 + 116R/S/T/U/V/W + 15LS/15LS+

30RQ-RQP 310R TO 400R

Type Properties


Family: 30RQ-RQP 310R TO 400R Load...

Type: 30RQ-RQP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
STD	☐
Standard_Service_Area	☐
Compressor_310R-340R	☒
Compressor_370R-400R	☐
fan_(370R-400R)	☐
15 (310R-340R)	☐
15 (370R-400R)	☐
23	☐
OPTION 116	☒
116R	☐
116S	☒
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank_Service_Area	☐
Option_307_Buffer_Tank	☒
Option_12(310R-340R)	☐
Option_12(370R-400R)	☐
Option 266+ STD	☐
Option 266 + Option 116/307	☐
Opt49	☐

Input Parameters



STD + 307

30RQ-RQP 310R TO 400R

Type Properties


Family: 30RQ-RQP 310R TO 400R Load...

Type: 30RQ-RQP310R Duplicate... Rename...

Type Parameters

Parameter	Value	=	^
Construction			
STD	☐		
Standard_Service_Area	☐		
Compressor_310R-340R	☒		
Compressor_370R-400R	☐		
fan_(370R-400R)	☐		
15 (310R-340R)	☐		
15 (370R-400R)	☐		
23	☒		
OPTION 116	☒		
116R	☐		
116S	☒		
116T	☐		
116U	☐		
116V	☐		
116W	☐		
293	☐		
Buffer_Tank_Service_Area	☐		
Option_307_Buffer_Tank	☒		
Option_12(310R-340R)	☐		
Option_12(370R-400R)	☐		
Option 266+ STD	☐		
Option 266 + Option 116/307	☐		
Opt49	☐		

Input Parameters



STD + 307 + 23

30RQ-RQP 310R TO 400R

Type Properties


Family: 30RQ-RQP 310R TO 400R Load...

Type: 30RQ-RQP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
STD	☐
Standard_Service_Area	☐
Compressor_310R-340R	☒
Compressor_370R-400R	☐
fan_(370R-400R)	☐
15 (310R-340R)	☐
15 (370R-400R)	☐
23	☐
OPTION 116	☒
116R	☐
116S	☒
116T	☐
116U	☐
116V	☐
116W	☐
293	☒
Buffer_Tank_Service_Area	☐
Option_307_Buffer_Tank	☐
Option_12(310R-340R)	☐
Option_12(370R-400R)	☐
Option 266+ STD	☐
Option 266 + Option 116/307	☐
Opt49	☐

Input Parameters



STD + 116R/S/T/U/V/W + 293

30RQ-RQP 310R TO 400R

Type Properties


Family: 30RQ-RQP 310R TO 400R Load...

Type: 30RQ-RQP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
STD	☐
Standard_Service_Area	☐
Compressor_310R-340R	☒
Compressor_370R-400R	☐
fan_(370R-400R)	☐
15 (310R-340R)	☐
15 (370R-400R)	☐
23	☒
OPTION 116	☒
116R	☐
116S	☒
116T	☐
116U	☐
116V	☐
116W	☐
293	☒
Buffer_Tank_Service_Area	☐
Option_307_Buffer_Tank	☐
Option_12(310R-340R)	☐
Option_12(370R-400R)	☐
Option 266+STD	☐
Option 266 + Option 116/307	☐
Opt49	☐

Input Parameters



STD + 116R/S/T/U/V/W + 293 + 23

30RQ-RQP 310R TO 400R

Type Properties


Family: 30RQ-RQP 310R TO 400R Load...

Type: 30RQ-RQP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
STD	☒
Standard_Service_Area	☐
Compressor_310R-340R	☒
Compressor_370R-400R	☐
fan_(370R-400R)	☐
15 (310R-340R)	☐
15 (370R-400R)	☐
23	☐
OPTION 116	☐
116R	☐
116S	☐
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank_Service_Area	☐
Option_307_Buffer_Tank	☐
Option_12(310R-340R)	☒
Option_12(370R-400R)	☐
Option 266+ STD	☐
Option 266 + Option 116/307	☐
Opt49	☐

Input Parameters



STD + Opt 12

30RQ-RQP 310R TO 400R

Type Properties


Family: 30RQ-RQP 310R TO 400R Load...

Type: 30RQ-RQP310R Duplicate... Rename...

Type Parameters

Parameter	Value	=	^
Construction			
STD	☒		
Standard_Service_Area	☐		
Compressor_310R-340R	☒		
Compressor_370R-400R	☐		
fan_(370R-400R)	☐		
15 (310R-340R)	☐		
15 (370R-400R)	☐		
23	☐		
OPTION 116	☐		
116R	☐		
116S	☐		
116T	☐		
116U	☐		
116V	☐		
116W	☐		
293	☐		
Buffer_Tank_Service_Area	☐		
Option_307_Buffer_Tank	☐		
Option_12(310R-340R)	☐		
Option_12(370R-400R)	☐		
Option 266+ STD	☐		
Option 266 + Option 116/307	☐		
Opt49	☒		

Input Parameters



STD + Opt 49

30RQ-RQP 310R TO 400R

Type Properties


Family: 30RQ-RQP 310R TO 400R Load...

Type: 30RQ-RQP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
STD	☐
Standard_Service_Area	☐
Compressor_310R-340R	☒
Compressor_370R-400R	☐
fan_(370R-400R)	☐
15 (310R-340R)	☐
15 (370R-400R)	☐
23	☐
OPTION 116	☒
116R	☐
116S	☒
116T	☐
116U	☐
116V	☐
116W	☐
293	☒
Buffer_Tank_Service_Area	☐
Option_307_Buffer_Tank	☒
Option_12(310R-340R)	☐
Option_12(370R-400R)	☐
Option 266+STD	☐
Option 266 + Option 116/307	☐
Opt49	☒

Input Parameters






STD + 116R/S/T/U/V/W + 293 + 307+ 49

30RQ-RQP Revit Family Latest Modification

PIPE CONNECTORS – Opt 266

Depending on the type of connection pipe connectors are been provided for all the piping in 30RQ-RQP unit. All Coupling connection are just shown for representation purpose only.



Connectors at Inlet and Outlet Connections of the unit (Hydronic Kit, BPHE piping and Buffer Tank)

30RQ-RQP 310R TO 400R

Type Properties


Family: 30RQ-RQP 310R TO 400R Load...

Type: 30RQ-RQP310R Duplicate... Rename...

Type Parameters

Parameter	Value	=	^
Construction			
STD	☒		
Standard_Service_Area	☐		
Compressor_310R-340R	☒		
Compressor_370R-400R	☐		
fan_(370R-400R)	☐		
15 (310R-340R)	☐		
15 (370R-400R)	☐		
23	☐		
OPTION 116	☐		
116R	☐		
116S	☐		
116T	☐		
116U	☐		
116V	☐		
116W	☐		
293	☐		
Buffer_Tank_Service_Area	☐		
Option_307_Buffer_Tank	☐		
Option_12(310R-340R)	☐		
Option_12(370R-400R)	☐		
Option 266+STD	☒		
Option 266 + Option 116/307	☐		
Opt49	☐		

Input Parameters



STD + Opt 266

30RQ-RQP 310R TO 400R

Type Properties


Family: 30RQ-RQP 310R TO 400R Load...

Type: 30RQ-RQP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
STD	☐
Standard_Service_Area	☐
Compressor_310R-340R	☒
Compressor_370R-400R	☐
fan_(370R-400R)	☐
15 (310R-340R)	☐
15 (370R-400R)	☐
23	☐
OPTION 116	☒
116R	☐
116S	☒
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank_Service_Area	☐
Option_307_Buffer_Tank	☐
Option_12(310R-340R)	☐
Option_12(370R-400R)	☐
Option 266+ STD	☐
Option 266 + Option 116/307	☒
Opt49	☐

Input Parameters



STD + Opt 266 + 116R/S/T/U/V/W

30RQ-RQP 310R TO 400R

Type Properties


Family: 30RQ-RQP 310R TO 400R Load...

Type: 30RQ-RQP310R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
STD	☐
Standard_Service_Area	☐
Compressor_310R-340R	☒
Compressor_370R-400R	☐
fan_(370R-400R)	☐
15 (310R-340R)	☐
15 (370R-400R)	☐
23	☐
OPTION 116	☒
116R	☐
116S	☒
116T	☐
116U	☐
116V	☐
116W	☐
293	☐
Buffer_Tank_Service_Area	☐
Option_307_Buffer_Tank	☒
Option_12(310R-340R)	☐
Option_12(370R-400R)	☐
Option 266+ STD	☐
Option 266 + Option 116/307	☒
Opt49	☐

Input Parameters



STD + Opt 266 + 307

30RQ-RQP 310R TO 400R

Type Properties


Family: 30RQ-RQP 310R TO 400R Load...

Type: 30RQ-RQP310R Duplicate... Rename...

Type Parameters

Parameter	Value	=	^
Construction			
STD	☐		
Standard_Service_Area	☐		
Compressor_310R-340R	☒		
Compressor_370R-400R	☐		
fan_(370R-400R)	☐		
15 (310R-340R)	☐		
15 (370R-400R)	☐		
23	☐		
OPTION 116	☒		
116R	☐		
116S	☒		
116T	☐		
116U	☐		
116V	☐		
116W	☐		
293	☐		
Buffer_Tank_Service_Area	☐		
Option_307_Buffer_Tank	☒		
Option_12(310R-340R)	☐		
Option_12(370R-400R)	☐		
Option 266+STD	☐		
Option 266 + Option 116/307	☒		
Opt49	☒		

Input Parameters



STD + Opt 266 + 116R/S/T/U/V/W + 307+ 49

Техника для климата

Доставляем оборудование по всей России от 3 дней транспортными компаниями. Реализуем проекты в десятках регионов — от Калининграда до Владивостока.

9600+

объектов и поставок

от 1 дня

отгрузки в транспортную компанию

Технические данные файла

Документ: Схема Carrier 30RQ/30RQP, тепловые насосы воздух-вода: BIM-модель Revit 30RQ/RQP 310R-400R, 02.2024

Идентификатор библиотеки: LIB-004174

Исходный файл: carrier-revit-02-2024-30rq-rqp-310r-to-400r-11-21-shema.pdf

SHA-256 оригинала: 829b9969ea765b00f8de24b22272f78f9f95eae1dc8a9ebb81c1e3ef8395d878

Постоянная ссылка: <https://iclim.ru/library/carrier-revit-02-2024-30rq-rqp-310r-to-400r-11-21-shema.pdf>

Копия сформирована: 03.10.2026 21:11 UTC