




42NC/ND UNIT SIZE – 3 LEFT

STANDARD UNIT DIMENSIONS



42NC/ND UNIT FAMILY TYPES

Family Types

×




Type name:

Search parameters




🔍

Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	=
2 WAY VALVE	☐	=
4 WAY VALVE	☐	=
COIL 42NC/ND 2PIPE	☐	=
COIL 42NC/ND 4PIPE	☐	=
RECTANGULAR FLANGE	☐	=
SUPPORT BASE FOR CONCEALED UNIT	☐	=
VERTICAL CONDENSATE PUMP	☐	=
CABINET WITH GRILL	☐	=
CABINET WITHOUT GRILL	☐	=
FEET WITH GRILL	☐	=
FEET WITHOUT GRILL	☐	=
HORIZONTAL CONDENSATE PUMP	☐	=
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=
NO CABINET	☐	=
NO FEET	☐	=
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=
SERVICE AREA (Default)	☐	=

CABINET WITH FEET UNIT DIMENSIONS




CABINET WITHOUT FEET UNIT DIMENSIONS




LIFTING BRACKET DIMENSIONS




42NC/ND UNIT 4 PIPE – ½" GAZ




42NC/ND UNIT 2 PIPE – 1/2" GAZ




42NC/ND UNIT ELECTRICAL CONNECTION




ELECTRICAL CONNECTION




2 WAY VALVE WITH ON/OFF ACTUATOR 230V or 24V




4 WAY VALVE WITH ON/OFF ACTUATOR 230V or 24V





2 WAY AUTO-BALANCING VALVE WITH ACTUATOR






CONDENSATE PUMP FOR VERTICAL UNIT



CONDENSATE PUMP




CONDENSATE PUMP FOR HORIZONTAL UNIT




CONDENSATE PUMP

WITH CABINET - WITHOUT FEET




Family Types			
Type name:			
Search parameters			
Parameter		Value	
Visibility			
2 WAY AUTO-BALANCING VALVE	☐	=	
2 WAY VALVE	☐	=	
4 WAY VALVE	☐	=	
COIL 42NC/ND 2PIPE	☐	=	
COIL 42NC/ND 4PIPE	☒	=	
RECTANGULAR FLANGE	☐	=	
SUPPORT BASE FOR CONCEALED UNIT	☐	=	
VERTICAL CONDENSATE PUMP	☐	=	
CABINET WITH GRILL	☐	=	
CABINET WITHOUT GRILL	☒	=	
FEET WITH GRILL	☐	=	
FEET WITHOUT GRILL	☐	=	
HORIZONTAL CONDENSATE PUMP	☐	=	
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=	
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=	
NO CABINET	☐	=	
NO FEET	☒	=	
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=	
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=	
SERVICE AREA (Default)	☐	=	




WITH CABINET - WITH FEET



Family Types		
Type name:		
Search parameters		
Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	=
2 WAY VALVE	☐	=
4 WAY VALVE	☐	=
COIL 42NC/ND 2PIPE	☐	=
COIL 42NC/ND 4PIPE	☒	=
RECTANGULAR FLANGE	☐	=
SUPPORT BASE FOR CONCEALED UNIT	☐	=
VERTICAL CONDENSATE PUMP	☐	=
CABINET WITH GRILL	☐	=
CABINET WITHOUT GRILL	☒	=
FEET WITH GRILL	☐	=
FEET WITHOUT GRILL	☒	=
HORIZONTAL CONDENSATE PUMP	☐	=
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=
NO CABINET	☐	=
NO FEET	☐	=
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=
SERVICE AREA (Default)	☐	=



WITH CABINET – FEET WITH GRILL




Family Types

Type name:


Search parameters

Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	"
2 WAY VALVE	☐	"
4 WAY VALVE	☐	"
COIL 42NC/ND 2PIPE	☐	"
COIL 42NC/ND 4PIPE	☒	"
RECTANGULAR FLANGE	☐	"
SUPPORT BASE FOR CONCEALED UNIT	☐	"
VERTICAL CONDENSATE PUMP	☐	"
CABINET WITH GRILL	☐	"
CABINET WITHOUT GRILL	☒	"
FEET WITH GRILL	☒	"
FEET WITHOUT GRILL	☐	"
HORIZONTAL CONDENSATE PUMP	☐	"
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
NO CABINET	☐	"
NO FEET	☐	"
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
SERVICE AREA (Default)	☐	"



CABINET WITH GRILL – WITHOUT FEET



Family Types		
Type name:		
Search parameters		
Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	"
2 WAY VALVE	☐	"
4 WAY VALVE	☐	"
COIL 42NC/ND 2PIPE	☐	"
COIL 42NC/ND 4PIPE	☒	"
RECTANGULAR FLANGE	☐	"
SUPPORT BASE FOR CONCEALED UNIT	☐	"
VERTICAL CONDENSATE PUMP	☐	"
CABINET WITH GRILL	☒	"
CABINET WITHOUT GRILL	☐	"
FEET WITH GRILL	☐	"
FEET WITHOUT GRILL	☐	"
HORIZONTAL CONDENSATE PUMP	☐	"
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
NO CABINET	☐	"
NO FEET	☒	"
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
SERVICE AREA (Default)	☐	"




WITHOUT CABINET – WITHOUT FEET



Family Types		
Type name:		
Search parameters		
Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	
2 WAY VALVE	☐	
4 WAY VALVE	☐	
COIL 42NC/ND 2PIPE	☐	
COIL 42NC/ND 4PIPE	☒	
RECTANGULAR FLANGE	☐	
SUPPORT BASE FOR CONCEALED UNIT	☐	
VERTICAL CONDENSATE PUMP	☐	
CABINET WITH GRILL	☐	
CABINET WITHOUT GRILL	☐	
FEET WITH GRILL	☐	
FEET WITHOUT GRILL	☐	
HORIZONTAL CONDENSATE PUMP	☐	
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	
NO CABINET	☒	
NO FEET	☒	
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	
SERVICE AREA (Default)	☐	

WITHOUT CABINET – WITH FEET




Family Types



Type name:

Search parameters

Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	"
2 WAY VALVE	☐	"
4 WAY VALVE	☐	"
COIL 42NC/ND 2PIPE	☐	"
COIL 42NC/ND 4PIPE	☒	"
RECTANGULAR FLANGE	☐	"
SUPPORT BASE FOR CONCEALED UNIT	☐	"
VERTICAL CONDENSATE PUMP	☐	"
CABINET WITH GRILL	☐	"
CABINET WITHOUT GRILL	☐	"
FEET WITH GRILL	☐	"
FEET WITHOUT GRILL	☒	"
HORIZONTAL CONDENSATE PUMP	☐	"
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
NO CABINET	☒	"
NO FEET	☐	"
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
SERVICE AREA (Default)	☐	"



WITHOUT CABINET – BASE SUPPORT




Family Types

Type name:

Search parameters

Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	=
2 WAY VALVE	☐	=
4 WAY VALVE	☐	=
COIL 42NC/ND 2PIPE	☐	=
COIL 42NC/ND 4PIPE	☒	=
RECTANGULAR FLANGE	☐	=
SUPPORT BASE FOR CONCEALED UNIT	☒	=
VERTICAL CONDENSATE PUMP	☐	=
CABINET WITH GRILL	☐	=
CABINET WITHOUT GRILL	☐	=
FEET WITH GRILL	☐	=
FEET WITHOUT GRILL	☐	=
HORIZONTAL CONDENSATE PUMP	☐	=
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=
NO CABINET	☒	=
NO FEET	☒	=
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=
SERVICE AREA (Default)	☐	=

WITHOUT CABINET – I CONFIGURATION – Ø200mm VIROLE




Family Types


Type name:

Search parameters

Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	"
2 WAY VALVE	☐	"
4 WAY VALVE	☐	"
COIL 42NC/ND 2PIPE	☐	"
COIL 42NC/ND 4PIPE	☒	"
RECTANGULAR FLANGE	☐	"
SUPPORT BASE FOR CONCEALED UNIT	☐	"
VERTICAL CONDENSATE PUMP	☐	"
CABINET WITH GRILL	☐	"
CABINET WITHOUT GRILL	☐	"
FEET WITH GRILL	☐	"
FEET WITHOUT GRILL	☐	"
HORIZONTAL CONDENSATE PUMP	☐	"
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☒	"
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
NO CABINET	☒	"
NO FEET	☒	"
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☒	"
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
SERVICE AREA (Default)	☐	"



WITHOUT CABINET – U CONFIGURATION Ø200mm VIROLE (COIL SIDE)




Family Types



Type name:

Search parameters

Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	"
2 WAY VALVE	☐	"
4 WAY VALVE	☐	"
COIL 42NC/ND 2PIPE	☐	"
COIL 42NC/ND 4PIPE	☒	"
RECTANGULAR FLANGE	☐	"
SUPPORT BASE FOR CONCEALED UNIT	☐	"
VERTICAL CONDENSATE PUMP	☐	"
CABINET WITH GRILL	☐	"
CABINET WITHOUT GRILL	☐	"
FEET WITH GRILL	☐	"
FEET WITHOUT GRILL	☐	"
HORIZONTAL CONDENSATE PUMP	☐	"
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☒	"
NO CABINET	☒	"
NO FEET	☒	"
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☒	"
SERVICE AREA (Default)	☐	"



WITHOUT CABINET – OUTLET PLENUM Ø200mm VIROLE





Family Types

Type name:

Search parameters

Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	
2 WAY VALVE	☐	
4 WAY VALVE	☐	
COIL 42NC/ND 2PIPE	☐	
COIL 42NC/ND 4PIPE	☒	
RECTANGULAR FLANGE	☐	
SUPPORT BASE FOR CONCEALED UNIT	☐	
VERTICAL CONDENSATE PUMP	☐	
CABINET WITH GRILL	☐	
CABINET WITHOUT GRILL	☐	
FEET WITH GRILL	☐	
FEET WITHOUT GRILL	☐	
HORIZONTAL CONDENSATE PUMP	☐	
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	
NO CABINET	☒	
NO FEET	☒	
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☒	
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	
SERVICE AREA (Default)	☐	

WITHOUT FEET – RECTANGULAR FLANGE




Family Types

Type name:

Search parameters

Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	=
2 WAY VALVE	☐	=
4 WAY VALVE	☐	=
COIL 42NC/ND 2PIPE	☐	=
COIL 42NC/ND 4PIPE	☒	=
RECTANGULAR FLANGE	☒	=
SUPPORT BASE FOR CONCEALED UNIT	☐	=
VERTICAL CONDENSATE PUMP	☐	=
CABINET WITH GRILL	☐	=
CABINET WITHOUT GRILL	☐	=
FEET WITH GRILL	☐	=
FEET WITHOUT GRILL	☐	=
HORIZONTAL CONDENSATE PUMP	☐	=
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=
NO CABINET	☒	=
NO FEET	☒	=
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=
SERVICE AREA (Default)	☐	=

SERVICE AREA




Family Types

Type name:

Search parameters

Parameter	Value
Visibility	
2 WAY AUTO-BALANCING VALVE	☐
2 WAY VALVE	☐
4 WAY VALVE	☐
COIL 42NC/ND 2PIPE	☐
COIL 42NC/ND 4PIPE	☒
RECTANGULAR FLANGE	☐
SUPPORT BASE FOR CONCEALED UNIT	☐
VERTICAL CONDENSATE PUMP	☐
CABINET WITH GRILL	☐
CABINET WITHOUT GRILL	☐
FEET WITH GRILL	☐
FEET WITHOUT GRILL	☒
HORIZONTAL CONDENSATE PUMP	☐
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐
NO CABINET	☒
NO FEET	☒
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐
SERVICE AREA (Default)	☒



A	B	C
150	210	100

Техника для климата

Доставляем оборудование по всей России от 3 дней транспортными компаниями. Реализуем проекты в десятках регионов — от Калининграда до Владивостока.

9600+

объектов и поставок

от 1 дня

отгрузка в транспортную компанию

Технические данные файла

Документ: Схема Carrier 42N, фанкойлы: BIM-модель Revit 42NC/42ND, типоразмер 3, левое подключение, 04.2021

Идентификатор библиотеки: LIB-004753

Исходный файл: carrier-revit-04-2021-42nc-nd-size-3-left-rev000-shema.pdf

SHA-256 оригинала: 0a9a61d74b008675624f89ce00cae6e5aaec35afaf59e8138482e2979e76e224

Постоянная ссылка: <https://iclim.ru/library/carrier-revit-04-2021-42nc-nd-size-3-left-rev000-shema.pdf>

Копия сформирована: 03.10.2026 04:48 UTC