


42NC/ND UNIT SIZE – 3 RIGHT

STANDARD UNIT DIMENSIONS



42NC/ND UNIT FAMILY TYPES




Family Types

Type name:



Search parameters

Parameter	Value
Visibility	
2 WAY AUTO-BALANCING VALVE	☐ =
2 WAY VALVE	☐ =
4 WAY VALVE	☐ =
COIL 42NC/ND 2PIPE	☐ =
COIL 42NC/ND 4PIPE	☐ =
RECTANGULAR FLANGE	☐ =
SUPPORT BASE FOR CONCEALED UNIT	☐ =
VERTICAL CONDENSATE PUMP	☐ =
CABINET WITH GRILL	☐ =
CABINET WITHOUT GRILL	☐ =
FEET WITH GRILL	☐ =
FEET WITHOUT GRILL	☐ =
HORIZONTAL CONDENSATE PUMP	☐ =
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐ =
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐ =
NO CABINET	☐ =
NO FEET	☐ =
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐ =
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐ =
SERVICE AREA (Default)	☐ =


CABINET WITH FEET UNIT DIMENSIONS




CABINET WITHOUT FEET UNIT DIMENSIONS





LIFTING BRACKET DIMENSIONS




42NC/ND UNIT 4 PIPE – ½" GAZ



42NC/ND UNIT 2 PIPE – ½" GAZ




½" GAZ




PIPE CONNECTION


42NC/ND UNIT ELECTRICAL CONNECTION




ELECTRICAL CONNECTION




2 WAY VALVE WITH ON/OFF ACTUATOR 230V or 24V




4 WAY VALVE WITH ON/OFF ACTUATOR 230V or 24V






2 WAY AUTO-BALANCING VALVE WITH ACTUATOR



CONDENSATE PUMP FOR VERTICAL UNIT




CONDENSATE PUMP FOR HORIZONTAL UNIT




CONDENSATE PUMP

WITH CABINET - WITHOUT FEET




Family Types		
Type name:		
Search parameters		
Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	"
2 WAY VALVE	☐	"
4 WAY VALVE	☐	"
COIL 42NC/ND 2PIPE	☐	"
COIL 42NC/ND 4PIPE	☒	"
RECTANGULAR FLANGE	☐	"
SUPPORT BASE FOR CONCEALED UNIT	☐	"
VERTICAL CONDENSATE PUMP	☐	"
CABINET WITH GRILL	☐	"
CABINET WITHOUT GRILL	☒	"
FEET WITH GRILL	☐	"
FEET WITHOUT GRILL	☐	"
HORIZONTAL CONDENSATE PUMP	☐	"
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
NO CABINET	☐	"
NO FEET	☒	"
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
SERVICE AREA (Default)	☐	"




WITH CABINET - WITH FEET




Family Types		
Type name:		
Search parameters		
Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	=
2 WAY VALVE	☐	=
4 WAY VALVE	☐	=
COIL 42NC/ND 2PIPE	☐	=
COIL 42NC/ND 4PIPE	☒	=
RECTANGULAR FLANGE	☐	=
SUPPORT BASE FOR CONCEALED UNIT	☐	=
VERTICAL CONDENSATE PUMP	☐	=
CABINET WITH GRILL	☐	=
CABINET WITHOUT GRILL	☒	=
FEET WITH GRILL	☐	=
FEET WITHOUT GRILL	☒	=
HORIZONTAL CONDENSATE PUMP	☐	=
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=
NO CABINET	☐	=
NO FEET	☐	=
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=
SERVICE AREA (Default)	☐	=




WITH CABINET – FEET WITH GRILL




Family Types		
Type name:		
Search parameters		
Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	=
2 WAY VALVE	☐	=
4 WAY VALVE	☐	=
COIL 42NC/ND 2PIPE	☐	=
COIL 42NC/ND 4PIPE	☒	=
RECTANGULAR FLANGE	☐	=
SUPPORT BASE FOR CONCEALED UNIT	☐	=
VERTICAL CONDENSATE PUMP	☐	=
CABINET WITH GRILL	☐	=
CABINET WITHOUT GRILL	☒	=
FEET WITH GRILL	☒	=
FEET WITHOUT GRILL	☐	=
HORIZONTAL CONDENSATE PUMP	☐	=
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=
NO CABINET	☐	=
NO FEET	☐	=
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=
SERVICE AREA (Default)	☐	=





CABINET WITH GRILL – WITHOUT FEET



Family Types		
Type name:		
Search parameters		
Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	"
2 WAY VALVE	☐	"
4 WAY VALVE	☐	"
COIL 42NC/ND 2PIPE	☐	"
COIL 42NC/ND 4PIPE	☒	"
RECTANGULAR FLANGE	☐	"
SUPPORT BASE FOR CONCEALED UNIT	☐	"
VERTICAL CONDENSATE PUMP	☐	"
CABINET WITH GRILL	☒	"
CABINET WITHOUT GRILL	☐	"
FEET WITH GRILL	☐	"
FEET WITHOUT GRILL	☐	"
HORIZONTAL CONDENSATE PUMP	☐	"
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
NO CABINET	☐	"
NO FEET	☒	"
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
SERVICE AREA (Default)	☐	"





WITHOUT CABINET – WITHOUT FEET





Family Types		
Type name:		
Search parameters		
Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	"
2 WAY VALVE	☐	"
4 WAY VALVE	☐	"
COIL 42NC/ND 2PIPE	☐	"
COIL 42NC/ND 4PIPE	☒	"
RECTANGULAR FLANGE	☐	"
SUPPORT BASE FOR CONCEALED UNIT	☐	"
VERTICAL CONDENSATE PUMP	☐	"
CABINET WITH GRILL	☐	"
CABINET WITHOUT GRILL	☐	"
FEET WITH GRILL	☐	"
FEET WITHOUT GRILL	☐	"
HORIZONTAL CONDENSATE PUMP	☐	"
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
NO CABINET	☒	"
NO FEET	☒	"
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
SERVICE AREA (Default)	☐	"

WITHOUT CABINET – WITH FEET



Family Types		
Type name:		
Search parameters		
Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	=
2 WAY VALVE	☐	=
4 WAY VALVE	☐	=
COIL 42NC/ND 2PIPE	☐	=
COIL 42NC/ND 4PIPE	☒	=
RECTANGULAR FLANGE	☐	=
SUPPORT BASE FOR CONCEALED UNIT	☐	=
VERTICAL CONDENSATE PUMP	☐	=
CABINET WITH GRILL	☐	=
CABINET WITHOUT GRILL	☐	=
FEET WITH GRILL	☐	=
FEET WITHOUT GRILL	☒	=
HORIZONTAL CONDENSATE PUMP	☐	=
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=
NO CABINET	☒	=
NO FEET	☐	=
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=
SERVICE AREA (Default)	☐	=

WITHOUT CABINET – BASE SUPPORT




Family Types

Type name:

Search parameters

Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	"
2 WAY VALVE	☐	"
4 WAY VALVE	☐	"
COIL 42NC/ND 2PIPE	☐	"
COIL 42NC/ND 4PIPE	☒	"
RECTANGULAR FLANGE	☐	"
SUPPORT BASE FOR CONCEALED UNIT	☒	"
VERTICAL CONDENSATE PUMP	☐	"
CABINET WITH GRILL	☐	"
CABINET WITHOUT GRILL	☐	"
FEET WITH GRILL	☐	"
FEET WITHOUT GRILL	☐	"
HORIZONTAL CONDENSATE PUMP	☐	"
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
NO CABINET	☒	"
NO FEET	☒	"
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
SERVICE AREA (Default)	☐	"

WITHOUT CABINET – I CONFIGURATION – Ø200mm VIROLE




Family Types


Type name:

Search parameters

Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	=
2 WAY VALVE	☐	=
4 WAY VALVE	☐	=
COIL 42NC/ND 2PIPE	☐	=
COIL 42NC/ND 4PIPE	☒	=
RECTANGULAR FLANGE	☐	=
SUPPORT BASE FOR CONCEALED UNIT	☐	=
VERTICAL CONDENSATE PUMP	☐	=
CABINET WITH GRILL	☐	=
CABINET WITHOUT GRILL	☐	=
FEET WITH GRILL	☐	=
FEET WITHOUT GRILL	☐	=
HORIZONTAL CONDENSATE PUMP	☐	=
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☒	=
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=
NO CABINET	☒	=
NO FEET	☒	=
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☒	=
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=
SERVICE AREA (Default)	☐	=



WITHOUT CABINET – U CONFIGURATION Ø200mm VIROLE (COIL SIDE)




Family Types



Type name:

Search parameters

Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	=
2 WAY VALVE	☐	=
4 WAY VALVE	☐	=
COIL 42NC/ND 2PIPE	☐	=
COIL 42NC/ND 4PIPE	☒	=
RECTANGULAR FLANGE	☐	=
SUPPORT BASE FOR CONCEALED UNIT	☐	=
VERTICAL CONDENSATE PUMP	☐	=
CABINET WITH GRILL	☐	=
CABINET WITHOUT GRILL	☐	=
FEET WITH GRILL	☐	=
FEET WITHOUT GRILL	☐	=
HORIZONTAL CONDENSATE PUMP	☐	=
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☒	=
NO CABINET	☒	=
NO FEET	☒	=
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☒	=
SERVICE AREA (Default)	☐	=



WITHOUT CABINET – OUTLET PLENUM Ø200mm VIROLE





Family Types

Type name:

Search parameters


Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	=
2 WAY VALVE	☐	=
4 WAY VALVE	☐	=
COIL 42NC/ND 2PIPE	☐	=
COIL 42NC/ND 4PIPE	☒	=
RECTANGULAR FLANGE	☐	=
SUPPORT BASE FOR CONCEALED UNIT	☐	=
VERTICAL CONDENSATE PUMP	☐	=
CABINET WITH GRILL	☐	=
CABINET WITHOUT GRILL	☐	=
FEET WITH GRILL	☐	=
FEET WITHOUT GRILL	☐	=
HORIZONTAL CONDENSATE PUMP	☐	=
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=
NO CABINET	☒	=
NO FEET	☒	=
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☒	=
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=
SERVICE AREA (Default)	☐	=

WITHOUT FEET – RECTANGULAR FLANGE



Family Types		
Type name:		
Search parameters		
Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	=
2 WAY VALVE	☐	=
4 WAY VALVE	☐	=
COIL 42NC/ND 2PIPE	☐	=
COIL 42NC/ND 4PIPE	☒	=
RECTANGULAR FLANGE	☒	=
SUPPORT BASE FOR CONCEALED UNIT	☐	=
VERTICAL CONDENSATE PUMP	☐	=
CABINET WITH GRILL	☐	=
CABINET WITHOUT GRILL	☐	=
FEET WITH GRILL	☐	=
FEET WITHOUT GRILL	☐	=
HORIZONTAL CONDENSATE PUMP	☐	=
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=
NO CABINET	☒	=
NO FEET	☒	=
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	=
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	=
SERVICE AREA (Default)	☐	=

SERVICE AREA




Family Types

Type name:

Search parameters

Parameter	Value	
Visibility		
2 WAY AUTO-BALANCING VALVE	☐	"
2 WAY VALVE	☐	"
4 WAY VALVE	☐	"
COIL 42NC/ND 2PIPE	☐	"
COIL 42NC/ND 4PIPE	☒	"
RECTANGULAR FLANGE	☐	"
SUPPORT BASE FOR CONCEALED UNIT	☐	"
VERTICAL CONDENSATE PUMP	☐	"
CABINET WITH GRILL	☐	"
CABINET WITHOUT GRILL	☐	"
FEET WITH GRILL	☐	"
FEET WITHOUT GRILL	☒	"
HORIZONTAL CONDENSATE PUMP	☐	"
INLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
INLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
NO CABINET	☒	"
NO FEET	☒	"
OUTLET PLENUM I CONFIGURATION Ø200mm VIROLE	☐	"
OUTLET PLENUM U CONFIGURATION COIL SIDE Ø200mm VIROLE	☐	"
SERVICE AREA (Default)	☒	"



A	B	C
150	210	100

Техника для климата

Доставляем оборудование по всей России от 3 дней транспортными компаниями. Реализуем проекты в десятках регионов — от Калининграда до Владивостока.

9600+

объектов и поставок

от 1 дня

отгрузка в транспортную компанию

Технические данные файла

Документ: Схема Carrier 42N, фанкойлы: BIM-модель Revit 42NC/42ND, типоразмер 3, правое подключение, 04.2021

Идентификатор библиотеки: LIB-004764

Исходный файл: carrier-revit-04-2021-42nc-nd-size-3-right-rev000-shema.pdf

SHA-256 оригинала: 09665287904367f0c7f489041bd585f0e8c0de70c83ec8d9277ad2312023d0a2

Постоянная ссылка: <https://iclim.ru/library/carrier-revit-04-2021-42nc-nd-size-3-right-rev000-shema.pdf>

Копия сформирована: 03.10.2026 05:29 UTC