


Revit Family file
30RB-RBP170R-TO-270R


AIR COOLED CHILLER

30RB-RBP170R-TO-270R


30RB-RBP Revit Family




Front View




Side View



30RB-RBP Revit Family




Top View




30RB-RBP Revit Family in Project Environment

30RB-RBP170R-TO-270R


30RB-RBP Revit Family with Buffer Tank




Front View




Side View



30RB-RBP Revit Family



Top View




30RB-RBP Revit Family in Project Environment

30RB-RBP170R-TO-270R

Model No: 170R-190R-210R-230R-270R

Overall Dimensions



All Dimensions are in mm
Tolerance ± 10

30RB-RBP170R-TO-270R

Model No: 170R-190R-210R-230R-270R

Overall Dimensions with Buffer Tank



All Dimensions are in mm
Tolerance ± 10

30RB-RBP Revit Family Latest Modification

IDENTIFY DATA EDITING

Model description details are added in the “ Identify Data” parameter segment for all the revit family files. Based on the type of family, details provided (170R,190R,210R,230R,270R etc...).

Identity Data	
URL	http://www.carrier.com
Model	30RB-RBP170R-TO-270R
Manufacturer	Carrier
Description	Air Cooled Chillers

This data will be extracted from the end MEP user whenever he/she will take Material Takeoff job or BOM preparation for the particular unit.

30RB-RBP Revit Family Latest Modification

MASS DETAILS

Mass details are added in the “Data” parameter segment for all the revit family files. Based on the type of family, details provided (170R,190R,210R,230R,270R,etc...).

Type Properties

Family: 30RB-RBP170R TO 270R

Load...

Type: 30RB170R

30RB170R

30RB190R/210R

30RB230R

30RB270R

30RBP170R

30RBP190R/210R

30RBP230R

30RBP270R

Type Parameter

Value

Rename...

Duplicate...

Construction

Graphics

Materials and Finishes

Dimensions

Identity Data




Data

30RB / 30RBP STD	1349 KG
30RB / 30RBP STD + Opt49	1410 KG
30RB / 30RBP STD + 15LS	1432 KG
30RB / 30RBP STD +15LS+	1453 KG
30RB / 30RBP STD+ 23	1414 KG
30RB / 30RBP STD +116W	1500 KG
30RB / 30RBP STD +116R	1449 KG
30RB / 30RBP STD +116S	1500 KG
30RB / 30RBP STD +116T	1446 KG
30RB / 30RBP STD +116U	1482 KG
30RB / 30RBP STD +116V	1449 KG
30RB / 30RBP STD +293	1408 KG
30RB / 30RBP STD +307	2357 KG

30RB-RBP Revit Family Latest Modification

PIPE CONNECTORS


Depending on the type of connection pipe connectors provided for all the piping in 30RB-RBP unit.
All Coupling connection are just shown for representation purpose only.




Connectors at Inlet and Outlet Connections of the unit (Hydronic Kit, BPHE piping and Buffer Tank)

30RB-RBP170R-TO-270R


PIPE DIAMETER DETAILS




STD




Option-116 R/T/V




Option-116 U/S/W



Option-49




Option-307



Option-50(Only for 30RBP)

Size	Options/Parameters	Inlet Connector Dia	Outlet Connector Dia
30RB-RBP170R-TO-270R	STD	Ø88.9mm	Ø88.9mm
	116R	Ø88.9mm	Ø88.9mm
	116S	Ø88.9mm	Ø88.9mm
	116T	Ø88.9mm	Ø88.9mm
	116U	Ø88.9mm	Ø88.9mm
	116V	Ø88.9mm	Ø88.9mm
	116W	Ø88.9mm	Ø88.9mm
	307	Ø88.9mm	Ø88.9mm
	266 STD	Ø88.9mm	Ø88.9mm
	266-116 / 307	Ø88.9mm	Ø88.9mm
	49	Ø60.3mm	Ø60.3mm
	50(Only 30RBP)	Ø88.9mm	Ø88.9mm
	50 + 116V(Only 30RBP)	Ø88.9mm	Ø88.9mm
	305A(Only 30RBP)	Ø88.9mm	Ø88.9mm
	305B(Only 30RBP)	Ø88.9mm	Ø88.9mm
	305C(Only 30RBP)	Ø88.9mm	Ø88.9mm



Option-305A/B/C(Only for 30RBP)

30RB-RBP170R-TO-270R

Model No: 170R-190R-210R-230R-270R

SERVICE CLEARANCE – ON/OFF

Service Clearance spaces for 30RB-RBP unit provided with the option in construction parameter to hide and unhide in the project environment.

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	


Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RBP170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



Service Clearance ON

30RB-RBP170R-TO-270R

Model No: 170R-190R-210R-230R-270R

SERVICE CLEARANCE – ON/OFF

Service Clearance spaces for 30RB-RBP unit provided with the option in construction parameter to hide and unhide in the project environment.

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 +267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	


Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RBP170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 +267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



Service Clearance OFF

30RB-RBP170R-TO-270R

Model No: 170R-190R-210R-230R-270R

SERVICE CLEARANCE – ON/OFF

Service Clearance spaces for 30RB-RBP unit provided with the option in construction parameter to hide and unhide in the project environment.

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe_270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 +267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/270A(230R-270R)	
15/270A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	

Type Properties


Family: 30RB-RBP170R TO 270R Load...

Type: 30RBP170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe_270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 +267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/270A(230R-270R)	
15/270A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	

Service Clearance
LR (Left Right) Service Clearance
FB (Front Back) Service Clearance



Service Clearance ON

30RB-RBP170R-TO-270R

Model No: 170R-190R-210R-230R-270R

SERVICE CLEARANCE – ON/OFF

Service Clearance spaces for 30RB-RBP unit provided with the option in construction parameter to hide and unhide in the project environment.

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 +267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	

Type Properties


Family: 30RB-RBP170R TO 270R Load...

Type: 30RBP170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 +267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	

Service Clearance
LR (Left Right) Service Clearance
FB (Front Back) Service Clearance



Service Clearance OFF

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50+267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	


Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50+267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD Opt

30RB-RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe_270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	


Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe_270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD+15LS/279A

30RB-RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/270A(230R-270R)	
15/270A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	


Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RBP170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/270A(230R-270R)	
15/270A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD+ 23

30RB-RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50+267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
263	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	


Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50+267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
263	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD+ 15LS/279A +23

30RB-RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outer Pipe 170R-230R	
Outer Pipe 270R	
Std Outer Pipe 170R-230R	
Std Outer Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FL_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
263	
Connection_307	
Water buffer tank_FL_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	


Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RBP170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outer Pipe 170R-230R	
Outer Pipe 270R	
Std Outer Pipe 170R-230R	
Std Outer Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FL_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
263	
Connection_307	
Water buffer tank_FL_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD + 116R/T/V

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe_270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 +267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
269	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	


Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe_270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 +267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
269	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD+ 116S/U/W

30RB-RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 +267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FL_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
263	
Connection_307	
Water buffer tank_FL_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	


Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 +267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FL_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
263	
Connection_307	
Water buffer tank_FL_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD+15LS/279A+116R/S/T/U/V/W

30RB-RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
263	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	

Type Properties


Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
263	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	

30RB-RBP-Input Parameters



STD + 23 + 116R/S/T/U/V/W

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe_270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	


Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RBP170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe_270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD+23+116R/S/T/U/V/W+15LS/279A

30RB-RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15 (270R-230R-270R)	
15 (270R-170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
OptA9	


Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15 (270R-230R-270R)	
15 (270R-170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
OptA9	



30RB-RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe_270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 +267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	


Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe_270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 +267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD + 307 + 23

30RB-RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 +267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	


Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 +267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD + 116R/S/T/U/V/W + 293

30RB-RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 +267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FR_Service_Clearance	
LR_Service_Clearance	
15/270A(230R-270R)	
15/270A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FR_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	


Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RBP170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 +267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FR_Service_Clearance	
LR_Service_Clearance	
15/270A(230R-270R)	
15/270A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FR_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD + 116R/S/T/U/V/W + 293 + 23

30RB-RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
263	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	


Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RBP170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
263	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD + 49

30RB-RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50+267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/270A(230R-270R)	
15/270A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	


Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50+267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/270A(230R-270R)	
15/270A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD + 116R/S/T/U/V/W + 293 + 307+ 49

30RB-RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	☒
Compressor (170R-210R)	☒
Compressor (230R-270R)	☒
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
263	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	☒
Option 266 + Option 116/307	
Opt49	


Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RBP170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	☒
Compressor (170R-210R)	☒
Compressor (230R-270R)	☒
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
263	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	☒
Option 266 + Option 116/307	
Opt49	



STD + Opt 266v

30RB-RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50, 170R	
Option 50+267, 170R	
Option 50+41C, 170R	
Option 50, 190R/210R	
Option 50 + 267, 190/210R	
Option 50+41C, 190R/210R	
Option 50, 230R/270R	
Option 50+267, 230/270R	
Option 50+41C, 230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/270A(230R-270R)	
15/270A(170R-190R-210R)	
23	
Option 116	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt43	


Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RBP170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50, 170R	
Option 50+267, 170R	
Option 50+41C, 170R	
Option 50, 190R/210R	
Option 50 + 267, 190/210R	
Option 50+41C, 190R/210R	
Option 50, 230R/270R	
Option 50+267, 230/270R	
Option 50+41C, 230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/270A(230R-270R)	
15/270A(170R-190R-210R)	
23	
Option 116	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt43	



STD + Opt 266 + 116R/S/T/U/V/W

30RB-RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15 (270A)(230R-270R)	
15 (270A)(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
203	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt40	


Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RBP170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15 (270A)(230R-270R)	
15 (270A)(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
203	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt40	



STD + Opt 266 + 116R/S/T/U/V/W + 307

30RB-RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RB170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	


Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RBP170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD + Opt 266 +116R/S/T/U/V/W +307+49

30RB-RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R

Type: 30RB170R

Load...

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe_270R	
Performance	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 +267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Accessories	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Ops49	

OPT305A/B/C(Total Hydraulic free cooling/Partial Hydraulic free cooling/ glycol-free total hydraulic free cooling)

OPT50(Total Heat Recovery)

OPT12(air discharge ducting)

OPT 12 / OPT 50 / OPT 305A/B/C- NON COMPATIBLE with 30RB range units.

If select OPT 12 / OPT 50 / OPT 305 A/B/C - IT WILL NOT DISPLAY

30RB-RBP170R-TO-270R

Type Properties

Family:

30RB-RBP170R TO 270R

Load...

Type:


30RBP170R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 +267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD + Opt 12

30RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R

Type: 30RBP170R

Load...


Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe_270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	

30RBP-Input Parameters



STD + Opt 50

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R

Load...


Type: 30RBP170R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe_270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD + Opt 50 + 267

30RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R

Type: 30RBP170R


Load...

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe_270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD + Opt 50 + 116V

30RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties


Family: 30RB-RBP170R TO 270R Load...

Type: 30RBP170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	

30RBP-Input Parameters



STD + Opt 50 + 266 + 116V

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R

Load...


Type: 30RBP170R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe_270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD + Opt 50 + 267 + 116V

30RBP-Input Parameters

30RB-RBP170R-TO-270R


Type Properties

Family: 30RB-RBP170R TO 270R Load...

Type: 30RBP170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe_270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD + Opt 50 + 116V + 307

30RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R

Load...


Type: 30RBP170R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe_270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD + Opt 50 + 267 + 116V + 307

30RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties


Family: 30RB-RBP170R TO 270R Load...

Type: 30RBP170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe_270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	

30RBP-Input Parameters



STD + Opt 50 + 41C

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R

Type: 30RBP170R


Load...

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD + Opt 305A

30RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R

Load...


Type: 30RBP170R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	☒
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	☒
Std Outlet Pipe_270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	☒
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD + Opt 305B

30RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R

Type: 30RBP170R


Load...

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe_270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt.307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD + Opt 305C

30RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R

Type: 30RBP170R


Load...

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	☒
Option 305B	☐
Option 305C	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
Outlet Pipe 170R-230R	☐
Outlet Pipe 270R	☐
Std Outlet Pipe 170R-230R	☒
Std Outlet Pipe 270R	☒
Opt 116V Free cooling	☐
Option 50_170R	☒
Option 50+267_170R	☐
Option 50+41C_170R	☐
Option 50_190R/210R	☐
Option 50 +267_190/210R	☐
Option 50+41C_190R/210R	☐
Option 50_230R/270R	☐
Option 50+267_230/270R	☐
Option 50+41C_230R/270R	☐
Opt 307	☐
STD	☒
Compressor (170R-210R)	☐
Compressor (230R-270R)	☐
Fan (190R-270R)	☐
FB_Service_Clearance	☐
LR_Service_Clearance	☐
15/279A(230R-270R)	☐
15/279A(170R-190R-210R)	☐
23	☐
Option 116	☐
116T	☐
116U	☐
116R	☐
116S	☐
116V	☐
116W	☐
293	☐
Connection_307	☐
Water buffer tank_FB_Service_Clearance	☐
Water buffer tank_LR_Service_Clearance	☐
Option 12 (170R)	☐
Option 12 (210R to 270R)	☐
Option 266 STD	☐
Option 266 + Option 116/307	☐
Opt49	☐



STD + 305A+ 116V

30RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties


Family: 30RB-RBP170R TO 270R Load...

Type: 30RBP170R Duplicate... Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	☒
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	☒
Std Outlet Pipe_270R	
Opt 116V Free cooling	☒
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 +267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	☒
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	

30RBP-Input Parameters



STD + 305B+ 116V

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R

Load...


Type: 30RBP170R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	☒
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	☒
Std Outlet Pipe_270R	
Opt 116V Free cooling	☒
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	☒
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD + 305C+ 116V

30RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R

Type: 30RBP170R


Load...

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	☒
Option 305B	☐
Option 305C	☐
Option 50 + 116V	☐
Option 50 + 116V + 266	☐
Outlet Pipe 170R-230R	☐
Outlet Pipe 270R	☐
Std Outlet Pipe 170R-230R	☒
Std Outlet Pipe_270R	☐
Opt 116V Free cooling	☒
Option 50_170R	☐
Option 50+26T_170R	☐
Option 50+41C_170R	☐
Option 50_190R/210R	☐
Option 50 +26T_190/210R	☐
Option 50+41C_190R/210R	☐
Option 50_230R/270R	☐
Option 50+26T_230/270R	☐
Option 50+41C_230R/270R	☐
Opt 307	☐
STD	☒
Compressor (170R-210R)	☐
Compressor (230R-270R)	☐
Fan (190R-270R)	☐
FB_Service_Clearance	☐
LR_Service_Clearance	☐
15/279A(230R-270R)	☐
15/279A(170R-190R-210R)	☐
23	☒
Option 116	☐
116T	☐
116U	☐
116R	☐
116S	☐
116V	☐
116W	☐
203	☐
Connection_307	☐
Water buffer tank_FB_Service_Clearance	☐
Water buffer tank_LR_Service_Clearance	☐
Option 12 (170R)	☐
Option 12 (210R to 270R)	☐
Option 266 STD	☐
Option 266 + Option 116/307	☐
Opt49	☐



STD + 305A+116V+23

30RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R

Load...


Type: 30RBP170R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 + 267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD + 305B+ 116V+23

30RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R

Type: 30RBP170R


Load...

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe 270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 +267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD + 305C+ 116V+23

30RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R

Type: 30RBP170R


Load...

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe_270R	
Opt 116V Free cooling	
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 +267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	
STD	
Compressor (170R-210R)	
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD + 305A +116V+307

30RBP-Input Parameters

30RB-RBP170R-TO-270R

Type Properties

Family: 30RB-RBP170R TO 270R

Load...


Type: 30RBP170R

Duplicate...

Rename...

Type Parameters

Parameter	Value
Construction	
Option 305A	
Option 305B	☒
Option 305C	
Option 50 + 116V	
Option 50 + 116V + 266	
Outlet Pipe 170R-230R	
Outlet Pipe 270R	
Std Outlet Pipe 170R-230R	
Std Outlet Pipe_270R	
Opt 116V Free cooling	☒
Option 50_170R	
Option 50+267_170R	
Option 50+41C_170R	
Option 50_190R/210R	
Option 50 +267_190/210R	
Option 50+41C_190R/210R	
Option 50_230R/270R	
Option 50+267_230/270R	
Option 50+41C_230R/270R	
Opt 307	☒
STD	
Compressor (170R-210R)	☒
Compressor (230R-270R)	
Fan (190R-270R)	
FB_Service_Clearance	
LR_Service_Clearance	
15/279A(230R-270R)	
15/279A(170R-190R-210R)	
23	
Option 116	
116T	
116U	
116R	
116S	
116V	
116W	
293	
Connection_307	☒
Water buffer tank_FB_Service_Clearance	
Water buffer tank_LR_Service_Clearance	
Option 12 (170R)	
Option 12 (210R to 270R)	
Option 266 STD	
Option 266 + Option 116/307	
Opt49	



STD + 305B +116V+307

30RBP-Input Parameters

Техника для климата

Доставляем оборудование по всей России от 3 дней транспортными компаниями. Реализуем проекты в десятках регионов — от Калининграда до Владивостока.

9600+

объектов и поставок

от 1 дня

отгрузки в транспортную компанию

Технические данные файла

Документ: Схема Carrier 30RB/30RBP, чиллеры с воздушным охлаждением: BIM-модель Revit 30RB/RBP 170R-270R, 05.2023

Идентификатор библиотеки: LIB-004087

Исходный файл: carrier-revit-05-2023-30rb-rbp170rto270r-05-2023-shema.pdf

SHA-256 оригинала: cb45f825b261410f111eff47cbe2dc2bfa9861459dd1b1c25f139f69b0aa464b

Постоянная ссылка: <https://iclim.ru/library/carrier-revit-05-2023-30rb-rbp170rto270r-05-2023-shema.pdf>

Копия сформирована: 04.10.2026 10:18 UTC